



# Ballistics Catalog



**PROTECTION IS OUR PROFESSION.**









# HARD ARMOR PLATES

LEVEL | III | III+ | III++ | IV | -IV | IV SILICIUM CARBIDE | IV SAPI / SILICIUM CARBIDE



## LEVEL III

APL3-01



## LEVEL III +

APL3P-02



## LEVEL III ++

AP3PP-03



## LEVEL IV ALUMINA

APL4A-04



## LEVEL IV SILICIUM CARBIDE

APL4SC-05



## SAPI/LEVEL IV SILICIUM CARBIDE

APL4SAP-06



## PLATE LEVEL —IV ICW

AP4M-07





# PLATE LEVEL III

## APL3-01



### LEVEL OF PROTECTION III

APL3-01 is designed to withstand multiple hits with a 7.62x51 mm FMJ NATO ball ammunition. It is lightweight and made of 100% polyethylene. It can be used in conjunction with soft armor (ICW) or Optional Stand Alone.

### STANDARD CUT




150x200 mm




250x300 mm

### CURVATURE

Single curve



Multi-curve



### OUTER SHELL

POLYUREA COLOR



### POSITION




**LEFT/RIGHT**  
150X200 mm



**FRONT/BACK**  
ARMOR PLATE

### MATERIAL

Composite



CORDURA FABRIC



### NIJ STANDARD



### WEIGHT

WEIGHT - ICW

From 0.95 kg +/-100gr  
Optional 1.1 kg +/-100gr

WEIGHT - STAND ALONE

1.3 kg +/-100gr

### CALIBER PROTECTION





# PLATE LEVEL III+ APL3P-02



## LEVEL OF PROTECTION III+

APL3P-02 is designed to withstand multiple hits with 7.62x51 mm FMJ NATO ball and 7.62x39 mm MSC ammunition. It is lightweight and made of 100% polyethylene. It can be used in conjunction with soft armor (ICW) or Optional Stand Alone.

## NIJ STANDARD



## STANDARD CUT



150x200 mm



250x300 mm

## POSITION



**LEFT/RIGHT**  
150X200 mm




**FRONT/BACK**  
ARMOR PLATE

## WEIGHT

WEIGHT - icw  
From 1.2 kg +/-100gr


WEIGHT - stand alone  
1.4 kg +/-100gr

## CALIBER PROTECTION




## CURVATURE

Single curve



Multi-curve



## MATERIAL

Composite



## OUTER SHELL

POLYUREA COLOR



CORDURA FABRIC





# PLATE LEVEL III ++

## AP3PP-03



### LEVEL OF PROTECTION III++

AP3PP-03 is designed to withstand multiple hits with a 7.62x51mm FMJ NATO ball and 7.62x39 mm MSC ammunition and 5.56x45 mm SS-109. Made of polyethylene and ceramic, it can be used in conjunction with soft armor (ICW) or Stand Alone (SA).

### STANDARD CUT



150x200 mm



250x300 mm

### POSITION



**FRONT/BACK**  
ARMOR PLATE





**LEFT/RIGHT**  
150X200 mm

### CURVATURE

Single curve

Multi-curve



### MATERIAL

Composite



### OUTER SHELL

**POLYUREA COLOR**



**CORDURA FABRIC**



### NIJ STANDARD



### WEIGHT

**WEIGHT - ICW**  
From 1.65 kg +/-100gr

**WEIGHT - STAND ALONE**  
1.85 kg +/-100gr

### CALIBER PROTECTION

- ✓ .038
- ✓ .22 LR
- ✓ .40
- ✓ 9 mm
- ✓ 10 mm
- ✓ .45
- ✓ .38
- ✓ 5.7 x 28 mm
- ✓ .357
- ✓ 5.56 x 45 mm (SS109)
- ✓ 7.62 x 39 mm (MSC)
- ✓ 7.62 x 51 mm (M80)



# PLATE LEVEL IV

## APL4A-04



### LEVEL OF PROTECTION IV

APL4A-04 Stand Alone (SA) is designed to provide protection against the armor-piercing bullets 7.62x39 mm MSC ammunition, 7.62x51 mm FMJ NATO ball, 7.62x54R B32, 7.62x63 AP M2. Made of alumina, polyethylene and aramid.

### STANDARD CUT



150x200 mm



250x300 mm

### POSITION




**FRONT/BACK**  
ARMOR PLATE



**LEFT/RIGHT**  
150X200 mm


### CURVATURE

Single curve



### MATERIAL

Composite



### WEIGHT

WEIGHT - ICW  
From 3.2 kg +/-100gr

### OUTER SHELL

**POLYUREA COLOR**




**CORDURA FABRIC**



### NIJ STANDARD



### CALIBER PROTECTION





# PLATE LEVEL IV

## APL4SC-05



### LEVEL OF PROTECTION IV

APL4SC-05 Stand Alone (SA) and ICW is designed to provide protection against the armor-piercing bullets 7.62x39 mm MSC ammunition, 7.62x51 mm FMJ NATO ball, 7.62x54 mm LPS, 7.62x54 mm AP, 7.62x63 mm AP M2. Made of ceramic, polyethylene and aramid.

### STANDARD CUT




150x200 mm




250x300 mm

### CURVATURE

Single curve



Multi-curve



### OUTER SHELL

POLYUREA COLORCORDURA FABRICComposite



### WEIGHT

WEIGHT - ICW  
From 2.3 kg +/-100gr

WEIGHT - STAND ALONE  
2.5 kg +/-100gr

### POSITION



FRONT/BACK  
ARMOR PLATE



LEFT/RIGHT  
150X200 mm

### MATERIAL

### NIJ STANDARD



### CALIBER PROTECTION





# SAPI PLATE LEVEL IV

## APL4SAP-06



### LEVEL OF PROTECTION IV

APL4SAP-06 Stand Alone (SA) and ICW is designed to provide protection against the armor-piercing bullets 7.62x39 mm MSC ammunition, 7.62x51 mm FMJ NATO ball, 7.62x54 mm LPS, 7.62x54 mm AP, 7.62x63 mm AP M2. Made of ceramic, polyethylene and aramid.

### NIJ STANDARD



### CALIBER PROTECTION



### WEIGHT

#### WEIGHT - ICW

S 1.95 kg +/-100gr  
M 2.19 kg +/-100gr  
L 2.49 kg +/-100gr  
XL 2.86 kg +/-100gr

#### WEIGHT STAND ALONE

S 2.1 kg +/-100gr  
M 2.39 kg +/-100gr  
L 2.74 kg +/-100gr  
XL 3.16 kg +/-100gr

### SAPI/ESAPI CUT



210x298 mm



240x318 mm




260x337 mm



290x365 mm

### CURVATURE

Multi-curve



### OUTER SHELL

POLYUREA COLORCORDURA FABRIC



### POSITION




**FRONT/BACK**  
ARMOR PLATE



**LEFT/RIGHT**  
150X200 mm

### MATERIAL

Composite





TOP PRODUCT

## PLATE LEVEL –IV ICW AP4M-07

### MULTIHIT

ABSOLUTE TOP PRODUCT.  
Plate ICW -AP4M-07 or Stand  
Alone plate that far exceeds NIJ  
Requirements of just 1 hit.



### SPECIAL THREATS TESTED

- 7.62x39 mm API
- 7.62x39 mm (MSC)
- 5.56x45 mm M855
- 5.56x45 mm M193
- 5.45x39 mm 7N6 (MSC)







# PLATE LEVEL—IV ICW -AP4M-07

## LEVEL OF PROTECTION -IV

Plate ICW or Stand Alone (SA) is designed to provide protection against the armor-piercing bullets 7.62x39 mm API ammunition, 7.62x39 mm (MSC), 7.62x54 mm LPS, 5.56x45 mm M855, 5.56x45 mm M193 and 5.45x39 mm 7N6 (MSC). Made of ceramic, polyethylene and aramid.

## NIJ STANDARD



## STANDARD CUT

150x200 mm



250x300 mm



## POSITION



**FRONT/BACK**  
ARMOR PLATE



**LEFT/RIGHT**  
150X200 mm

## CALIBER PROTECTION




## WEIGHT

WEIGHT - ICW  
2.1 kg +/-100gr


WEIGHT - STAND  
ALONE 2.3 kg +/-100gr

## CURVATURE

Single curve




Multi-curve



## MATERIAL

Composite



## OUTER SHELL

POLYUREA COLOR



CORDURA FABRIC





# VESTS



**FRONT/BACK**  
ARMOR PLATE  
PROTECTION



**SIDE ARMOR**  
PLATE LEFT/RIGHT  
150X200 mm



**ADJUSTABLE  
DIMENSIONS**



**MOLLE  
PLATFORM**

**TACTICAL OVERT VEST | QR VEST | IOTV VEST | TACTICAL VEST WITH POACHES**





# PROTECTION SYSTEM

## HIGH BALLISTIC PERFORMANCE

- TACTICAL OVERT VEST -TOV-01
- TACTICAL OVERT VEST -TOV-02
- TACTICAL OVERT VEST -TOV-03
- TACTICAL OVERT VEST -TOV-04
- TACTICAL OVERT VEST -TOV-05
- TACTICAL OVERT VEST -TOV-06
- QUICK RELEASE VEST -QRV-07
- IOTV VEST GENERATION III -IOTV-VG3-08
- TACTICAL VEST WITH POACHES -TOVP-09
- FULLY COVERED VEST -TOVFC-10

# TACTICAL OVERT VEST -TOV-01



## PROTECTION LEVEL

- IIA, II and IIIA according to NIJ STD.0101.04/06
- Available according to all other international standards
- Fragmentation protection according to NATO STANG2920, V50~450-600m/s



**2XFRONT/BACK**  
ARMOR PLATE



**2XSIDE ARMOR**  
PLATE LEFT/RIGHT  
150X200 mm



**HIGH-LEVEL**  
PROTECTION



**MOLLE**  
PLATFORM

## TACTICAL OVERT VEST TOV-01

The Tactical Overt Vest TOV-01 is specially designed for units that require the capacity and flexibility to use a variety of options to suit the circumstances, the threat and the mission.

The vest can be adapted to accommodate a variety of equipment and comes with the standard MOLLE system for attaching pouches.

The -TOV-01 does not incorporate a Quick Release (QR) system but remains easy to remove.






## NECK PROTECTION



## BICEPS PROTECTION



## SIDE ARMOR PLATE INSERT



## SIZE ADJUSTMENT



## MOLLE



## MOLLE SYSTEM

Fully covered by MOLLE platform, this model is designed for tactical teams who need mobility, comfort and high-level protection. The Molle platform allows the users to set all pockets, holsters and accessories. It provides possibilities of setting up two ballistic plates in the front and back side with dimensions 250x300 mm, two ballistic plates 150x200 mm on the left and right side and thus increase the level of protection.

## OPTIONS:

Collar, throat, biceps and groin protection

## FEATURES

- Overt vest
- Overt MOLLE version
- Adjustable with four Velcro straps
- Flexible, comfortable and lightweight
- Removable ballistic panels
- Pockets for additional hard armor inserts
- The vest provides front, back and side protection
- Available according to all other international standards
- Modular type of vest, optional and removable neck, shoulder and groin protection
- Specific (custom-made) ballistic protection on request
- Possibility to attach pouches on the MOLLE system
- Bottom loading plate pockets
- Concealable side opening designed pocket for ballistic plate
- Front ID panel attachment
- Front adjustable side opening

# TACTICAL OVERT VEST -TOV-01



## DESCRIPTION

Tactical Overt Vest -TOV-01 with its ergonomic cut enables undisturbed movement. This vest provides front, back and side protection.

## COMPONENTS

Modular components allow the user to add or remove ballistic parts. They can provide neck, shoulder and biceps protection.



**2XFRONT/BACK**  
ARMOR PLATE



**2XSIDE ARMOR**  
PLATE LEFT/RIGHT  
150X200 mm



**HIGH-LEVEL**  
PROTECTION



**MOLLE**  
PLATFORM





LIFT SYSTEM



POCKETS



GROIN PROTECTION  
SYSTEM



## FEATURES

- Overt vest
- Overt MOLLE version
- Adjustable with four **VELCRO®** straps
- Flexible, comfortable and lightweight
- Removable ballistic panels
- Pockets for additional hard armor inserts
- This vest provides front, back and side protection
- Anti-stab resistance

## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



Multi-CamUpon request



## SIZE



S

M

L

XL

# TACTICAL OVERT VEST -TOV-02



## DESCRIPTION

Tactical Overt Vest -TOV-02 with its ergonomic cut enables undisturbed movements. This vest provides front, back, side and groin protection.

## FEATURES

- Overt vest
- Overt MOLLE version
- Adjustable with four Velcro straps
- Removable ballistic panels
- This vest provides front, back, side and groin protection.
- Anti-stab resistance



**2XFRONT/BACK**  
ARMOR PLATE



**2XSIDE ARMOR**  
PLATE LEFT/RIGHT  
150X200 mm



**HIGH-LEVEL**  
PROTECTION



**MOLLE**  
PLATFORM





**MOLLE WEBBING**



**GROIN PROTECTION SYSTEM**



**FLEXIBLE**



**COMFORTABLE**



**LIGHTWEIGHT**



## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MultiCam Upon request



## SIZE



S



M



L



XL

# TACTICAL OVERT VEST -TOV-03



**ADJUSTABLE  
WITH FOUR  
VELCRO®  
STRAPS**

## DESCRIPTION

Tactical Overt Vest TOV-03 with its ergonomic cut enables undisturbed movements. This vest provides front, back and side protection.

## FEATURES

- Overt vest
- Overt MOLLE version
- Adjustable with four Velcro straps
- Removable ballistic panels
- Pockets for additional hard armor inserts
- This vest provides front, back, and side protection.
- Available according to all international standards
- Specific (custom-made) ballistic protection on request



**2XFRONT/BACK  
ARMOR PLATE**



**2XSIDE ARMOR  
PLATE LEFT/RIGHT  
150X200 mm**



**HIGH-LEVEL  
PROTECTION**



**MOLLE  
PLATFORM**





FLEXIBLE



COMFORTABLE



LIGHTWEIGHT

## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MulticamUpon request



## SIZE



S



M



L



XL

# TACTICAL OVERT VEST-TOV-04



## DESCRIPTION

Tactical Overt Vest -TOV-04 with its ergonomic cut enables undisturbed movements. This vest provides front, back and side protection.

## FEATURES

- Overt vest
- Overt MOLLE version
- Adjustable with four Velcro straps
- Flexible, comfortable and lightweight
- Removable ballistic panels
- Pockets for additional hard armor inserts
- This vest provides front, back and side protection
- Available according to all international standards
- Specific (custom-made) ballistic protection on request



**2XFRONT/BACK**  
ARMOR PLATE



**2XSIDE ARMOR**  
PLATE LEFT/RIGHT  
150X200 mm



**HIGH-LEVEL**  
PROTECTION



**MOLLE**  
PLATFORM





OVERT MOLLE  
VERSION



FLEXIBLE



LIGHTWEIGHT



COMFORTABLE



## AVAILABLE COLORS

## SIZE



Black



Coyote



Khaki



OD Green



Multicam Upon request



S



M



L



XL

# TACTICAL OVERT VEST -TOV-05



## DESCRIPTION

Tactical Overt Vest TOV-05 with its ergonomic cut enables undisturbed movements. This vest provides front and back protection.

## FEATURES

- Overt vest
- Adjustable with four Velcro straps
- Removable ballistic panels
- This vest provides front, back, neck, groin and biceps protection
- Font and back ID panel attachment

## PROTECTION



**2XFRONT/BACK**  
ARMOR PLATE



**HIGH-LEVEL**  
PROTECTION



**FLEXIBLE**



**COMFORTABLE**



**LIGHTWEIGHT**





NECK PROTECTION



BICEPS PROTECTION



GROIN PROTECTION  
SYSTEM



## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



Multicam Upon request



## SIZE



# TACTICAL OVERT VEST

## -TOV-06



### DESCRIPTION

Tactical Overt Vest -TOV-06 with its ergonomic cut enables undisturbed movements. This vest provides front and back protection.

### FEATURES

- Overt vest
- Adjustable with two **VELCRO®** straps
- Removable ballistic panels
- This vest provides front, back and neck protection

### PROTECTION



**2XFRONT/BACK**  
ARMOR PLATE



**HIGH-LEVEL**  
PROTECTION



**FLEXIBLE**



**COMFORTABLE**



**LIGHTWEIGHT**





**REMOVABLE  
NECK PROTECTION**



**REMOVABLE  
BALLISTIC PANELS**



**POACHES**



## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



Multicam Upon request



## SIZE



S



M



L



XL

# QUICK RELEASE VEST-QRV-07



## DESCRIPTION

The Quick Release Vest QRV-07 is the top of the line vest on the tactical vests market. It has the fastest and most effective Quick Release System ever made. It is a system with complete side protection, communication devices and a molle attachment system.

The QR vest is fully adjustable and holds large ballistic plates in the front and back. Side plates can also be accommodated in removable side pouches.

## FEATURES

- Overt vest
- Overt MOLLE version
- Adjustable with four Velcro straps
- Flexible, comfortable and lightweight
- Removable ballistic panels
- Pockets for additional hard armor inserts
- This vest provides front, back and side protection
- Available according to all other international standards
- Specific (custom-made) ballistic protection on request

## PROTECTION



**2XFRONT/BACK**  
ARMOR PLATE



**HIGH-LEVEL**  
PROTECTION



**WIRE QUICK**  
RELEASE





## RELEASE PULL



## QUICK RELEASE SYSTEM



## MOLLE SYSTEM

Fully covered by MOLLE platform, this model is designed for tactical teams who need mobility, comfort and high-level protection. The Molle platform allows the users to set all pockets, holsters and accessories.

It provides possibilities of setting up two ballistic plates in the front and back side with dimensions 250x300 mm, two ballistic plates 150x200 mm on the left and right side and thus increase the level of protection.



## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MulticamUpon request



## SIZE



# IOTV VEST GENERATION III - IOTV-VG3-08



## DESCRIPTION

This vest is a replacement for the older IBA fielded by the United States Army. This vest has seen several revisions over the years based on real-world combat feedback.

It is compatible with the ESAPI and ESBI-Side-SAPI plates, as well as with the interceptor body armor's groin protection. It can be a full-up system with groin protection, lower back protection, deltoid protection and neck-throat protection.

## FEATURES

- Modular components
- Increased MOLLE Pouch locations
- Single-handed emergency egress, quick-release system
- Reinforces drag handle
- Full-wrap cummerbund style closure
- Removable/adjustable side plates
- Designed to reduce weight from the shoulders and move it to the lower torso
- Anti-stab resistance
- 360 MOLLE webbing for equipment attachment
- Flame resistant, durable 600 denier Cordura outer carriers
- Includes a lower back protection designed to defeat fragmentation impacts to the lower back/kidney areas
- ESAPI plates, as well as ESBI side plates





**NECK-THROAT PROTECTION**



**BICEPS PROTECTION**



**QUICK RELEASE SYSTEM**



**UTX BUCKLE**



**GROIN PROTECTION SYSTEM**



## **PROTECTION**



**2XFRONT/BACK  
ARMOR PLATE**



**HIGH-LEVEL  
PROTECTION**



**MOLLE  
PLATFORM**

## **AVAILABLE COLORS**



Black



Coyote



Khaki



OD Green



Multicam Upon request



## **SIZE**



# TACTICAL VEST WITH POACHES

## -TOVP-09



### DESCRIPTION

Tactical Vest With Poaches model fully covered by MOLLE platform is designed for tactical teams who need mobility, comfort and high-level protection. The MOLLE platform allows the user to set all the pockets, holsters and accessories. Possibilities of setting up two ballistic plates on the front and back side with dimensions 250x300 mm, two ballistic plates 150x200mm on the left and right side and thus increase the level of protection.

### FEATURES

- Removable pouches
- Bottom loading plate pockets
- Fits concealable shaped ballistics
- Synch adjusting shoulder straps side opening design with ballistic overlap
- Front and back ID panel attachment

### OPTIONAL

Collar, throat, biceps and groin protection  
Front adjustable side opening

### PROTECTION



**2XFRONT/BACK**  
ARMOR PLATE



**HIGH-LEVEL**  
PROTECTION



**MOLLE**  
PLATFORM

Available in multiple options please contact [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out your vest configuration.  
*find out more on [www.infogroupglobal.com](http://www.infogroupglobal.com)*





**HARD ARMOR  
PLATES POUCHES**

**REMOVABLE  
POUCHES**



**WATER TANK**



**FIRST AID KIT**



## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MultiCam Upon request



## SIZE



# FULLY COVERED VEST

## -TOVFC-10



### DESCRIPTION

This tactical vest model fully covered by a MOLLE platform with throat, neck, biceps, front back side, groin and leg protection is designed for tactical teams who need high-level protection. The MOLLE platform allows the user to set all the pockets, holsters and accessories. Possibilities of setting up two ballistic plates on the front and back side with dimensions 250x300 mm, two ballistic plates 150x200mm on the left and right side and thus increase the level of protection.

### FEATURES

- Overt vest
- Overt MOLLE version
- Adjustable with four Velcro straps
- Flexible, comfortable and lightweight
- Removable ballistic panels
- Pockets for additional hard armor inserts
- This vest provides front, back, side neck, groin, biceps and leg protection
- Available according to all international standards
- Modular type of vest, optional for removable neck, shoulder, groin protection and leg protection
- Specific (custom-made) ballistic protection on request
- Removable collar fully covered with a MOLLE system
- Anti-stab resistance

### LEGS PROTECTION







**QUICK RELEASE  
SYSTEM**



**NECK-THROAT  
PROTECTION**



**GROIN PROTECTION  
SYSTEM**



**BICEPS  
PROTECTION**

### OVERT MOLLE VERSION



### REMOVABLE COLLAR



### POACHES



## PROTECTION



**2XFRONT/BACK  
ARMOR PLATE**



**2XSIDE ARMOR  
PLATE LEFT/RIGHT**  
150X200 mm



**HIGH-LEVEL  
PROTECTION**



**MOLLE  
PLATFORM**

## AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MultiCam Upon request



## SIZE



S



M



L



XL

# PLATE CARRIERS.







# PROTECTION SYSTEM

## HIGH LEVEL PERFORMANCE

Our products deliver maximum flexibility and forward compatibility and are designed to integrate seamlessly with both our partners and third party components. Our plate carriers are designed to create opportunities for customization to meet each wearer's individual needs.

# PLATE CARRIER -PCR-01



DEVELOPMENT OF SPECIFIC  
(CUSTOM-MADE) BALLISTIC  
PROTECTION ON REQUEST



**2XFRONT/BACK**  
ARMOR PLATE

## PLATE CARRIER -PCR-01

### DESCRIPTION

A complete kit for the utilization of the Ballistic Plate Carrier PCR-01 is a Plate Carrier with Molle Webbing System. It can be worn with or without a soft armor panel, depending upon ballistic requirements, threat conditions and the type of plate utilized. The Plate Carrier is easily tailored for comfort, ventilation and fit. It is developed out of the specific need of those who find themselves first in a crisis. It goes on quickly and easily over your duty soft armor and blouse.



Available according to all other international standards.

### FEATURES:

- MOLLE plate carrier
- Accepts 250x300mm hard armor panels and soft armor panels
- Space mesh inside
- Removable hard armor plates



**REMOVABLE HARD  
ARMOR PLATES**

### SIZE

One Size Fits all.



# PLATE CARRIER -PCR-02



AVAILABLE ACCORDING  
TO ALL OTHER  
INTERNATIONAL STANDARDS.



**2XFRONT/BACK**  
ARMOR PLATE

## PLATE CARRIER -PCR-02

### DESCRIPTION

A complete kit for the utilization of the Ballistic Plate Carrier PCR-02 is a Plate Carrier with Molle Webbing System. It can be worn with or without a soft armor panel, depending upon ballistic requirements, threat conditions and the type of plate utilized. The Plate Carrier is easily tailored for comfort, ventilation and fit. It is developed out of the specific need of those who find themselves first in a crisis. It goes on quickly and easily over your duty soft armor and blouse.

### FEATURES:

- MOLLE plate carrier
- Accepts 250x300mm hard armor panels and soft armor panels
- Space mesh inside
- Front, rear torso protection
- Removable hard armor plates



**MOLLE  
COVERED**

### SIZE

One Size Fits all.

### QUICK RELEASE SYSTEM



# PLATE CARRIER -PCR-03



**MOLLE  
COMPATIBLE**



**2XFRONT/BACK  
ARMOR PLATE**



**MOLLE  
PLATFORM**

## PLATE CARRIER -PCR-03

### DESCRIPTION

The Plate Carrier PCR-03 was designed with comfort and ergonomics in mind. Lightweight, yet durable, thanks to the advanced materials and manufacturing technology, it is a base platform for our protection system and can be missionfitted thanks to its extra load bearing of ballistic components.



### FEATURES:

- MOLLE compatible
- Various exchangeable front panels
- Accepts SAPI type hard ballistic plates

### SIZE

One Size Fits all

### AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MultiCamUpon request





# PLATE CARRIER -PCR-04



UNIFORM CAMOUFLAGE  
ON ALL SURFACES



**2XFRONT/BACK  
ARMOR PLATE**



**VELCRO®**

## PLATE CARRIER -PCR-04

### DESCRIPTION

The Plate Carrier PCR-04 was designed with comfort and ergonomics in mind. Lightweight, yet durable, thanks to the advanced materials and manufacturing technology, it is a base platform for our protection system and can be missionfitted thanks to its extra load bearing of ballistic components.



### FEATURES:

- Uniform camouflage on all surfaces
- Various exchangeable front and back plates

### SIZE

One Size Fits all

### AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MultiCamUpon request



# PLATE CARRIER -PCR-05



REMOVABLE  
POACHES



2 X FRONT/BACK  
ARMOR PLATE  
250X300mm

## PLATE CARRIER -PCR-05

### DESCRIPTION

The Plate Carrier was designed with comfort and ergonomics in mind. Lightweight, yet durable, thanks to the advanced materials and manufacturing technology, it is a base platform for our protection system and can be missionfitted thanks to its extra load bearing of ballistic components.

### ARMOR COLLAR



### FEATURES:

- Various exchangeable front and back plates
- Accepts SAPI-type hard ballistic plates
- Pouches

### SIZE

One Size Fits all

### AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MultiCamUpon request





# PLATE CARRIER -PCR-06



**MOLLE COMPATIBLE  
BELT SLEEVE**



**2 X FRONT/BACK  
ARMOR PLATE**  
250X300mm

## PLATE CARRIER -PCR-06

### DESCRIPTION

The Plate Carrier PCR-06 was designed with comfort and ergonomics in mind. Lightweight, yet durable, thanks to the advanced materials and manufacturing technology, it is a base platform for our protection system and can be missionfitted thanks to its extra load bearing of ballistic components.

### SIZE

One Size Fits all

### ARMOR BELT

Armor belt does not require a separate internal belt which is fully integrated into the structure of the product. Foam can be replaced with soft ballistic armor



**UNIFORM  
CAMOUFLAGE  
ON ALL SURFACES**

### FEATURES:

- Armor belt
- Grenade pouches damp bags
- Saw ammo-box pouches
- First aid kit bags
- MOLLE compatible
- Uniform camouflage on all surfaces
- Various changeable front and back plates
- Comms and wiring channels
- Accepts SAPI-type hard ballistic plates



# TACTICAL EQUIPMENT.





# PROTECTION SYSTEM

## HIGH LEVEL PERFORMANCE

Our products deliver maximum flexibility and forward compatibility and are designed to integrate seamlessly with both our partners and third party components. Our Tactical Equipment is designed to create opportunities for customization to meet each wearer's individual needs.



CONFIDENCE





# TACTICAL EQUIPMENT.

## TECHNICAL DETAILS



MOLLE COMPATIBLE



ACCEPTS SAPI-TYPE HARD BALLISTIC INSERTS



UNIFORM CAMOUFLAGE ON ALL SURFACES



STANDARD SIZES



ZIP-ON BACK PANELS



COMMS AND WIRING CHANNELS



### 3 DIFFERENT CLOSURE SYSTEM



ROC-BUCKLE



QR CLOSURE SYSTEM



VELCRO®



### AVAILABLE COLORS



Black



Coyote



Khaki



OD Green



MultiCam



Upon request

ALWAYS  
BE  
READY

## MAGAZINE BOX POUCHES

- MOLLE compatible
- Velcro and buckle secured
- Made purely from Cordura
- Large pouch lined inside with Velcro®
- Can be used for a large number of rifle clips



## GRENADE POUCHES

- Flash-bang, fragmentation grenade and smoke pouches available
- MOLLE compatible
- Made purely from Cordura
- Buckle-secured flap
- Additional loop to secure grenade spoon during transport
- Can be used to hold cylindrical objects







## MAGAZINE POACHES

- MOLLE compatible
- Short or long version available
- Mesh-lined bottom to prevent dirt and sand accumulation
- Wire-stiffened rim that keeps a circular shape
- Velcro® closer to prevent magazine lose
- Uniformly colored and camouflaged



## PISTOL HOLDER PH 01



## FIRST - AID KITS

- MOLLE compatible
- 2 different types (Velcro rip-off version or one-hand opening, highly modular internal tray version)
- Glove compartment and external tourniquet attachment
- Uniformly colored and camouflaged



VIP PROTECTION.





# HIGH-LEVEL PERFORMANCE

## VIP VEST

MODEL VV & VVF



## COOLING SHIRT

MODEL 06



## SPORTS T-SHIRT

MODEL 07



## BALLISTIC BAG

MODEL 01 & 02



VIP PROTECTION. 05

A man with dark hair and a light beard, wearing a dark suit, white shirt, and dark tie. He is wearing dark aviator sunglasses and has a small, black, in-ear device in his left ear. A thin black wire runs down his neck and is clipped to his tie. The background is a blurred city street at night with bokeh lights.

CONCEALABLE  
COMFORT



# VIP VEST -VV-01



## DESCRIPTION

The VIP Vest -VV-01 is bullet-proof and provides front and back protection. The vest is lightweight and highly comfortable. It is specially designed for VIP delegations, officials, diplomats, politicians, ministers, businessman etc.

## FEATURES:

- Removable ballistic panels
- Easy-care, dry cleanable outer shell

## OPTIONS:

- Anti-stab resistance
- Custom design

## PROTECTION



**FRONT/BACK**  
PROTECTION



**HIGH-LEVEL**  
PROTECTION

## NIJ STANDARD



## MATERIAL



**LIGHTWEIGHT**



**FLEXIBLE**



**COMFORTABLE**

## AVAILABLE COLORS



Black



White

## SIZE



TACTICAL  
SOLUTION

## VIP VEST -VV-02



### DESCRIPTION

The VIP Vest VV-02 is bullet-proof and provides front and back protection. The vest is lightweight and highly comfortable. It is specially designed for VIP delegations, officials, diplomats, politicians, ministers, businessmen etc.

### FEATURES:

- Removable ballistic panels
- Easy-care, dry cleanable outer shell

### OPTIONS:

- Anti-stab resistance
- Custom design

### PROTECTION



**FRONT/BACK  
PROTECTION**



**HIGH-LEVEL  
PROTECTION**

### AVAILABLE COLORS



Black



White

### SIZE

[ S ]

[ M ]

[ L ]

[ XL ]

### NIJ STANDARD



### MATERIAL



**LIGHTWEIGHT**





HIGHLY  
COMFORTABLE

## VIP VEST -VV-03



### DESCRIPTION

The VIP Vest VV-03 is bullet-proof and provides front and back protection. The vest is lightweight and highly comfortable. It is specially designed for VIP delegations, officials, diplomats, Politicians, ministers, businessmen etc.

### FEATURES:

- Removable ballistic panels
- Easy-care, dry cleanable outer shell
- Custom inner shell mesh fab

### OPTIONS:

- Anti-stab resistance
- Custom design

### PROTECTION



**FRONT/BACK  
PROTECTION**



**HIGH-LEVEL  
PROTECTION**

### AVAILABLE COLORS



Black



White

### SIZE



### NIJ STANDARD



### MATERIAL



**LIGHTWEIGHT**

CONCEALABLE  
COMFORT





# VIP VEST -VV-04



## DESCRIPTION

The VIP VEST s bullet-proof and provides front and back protection. The vest is lightweight and highly comfortable. It is specially designed for VIP delegations, officials, diplomats, politicians, ministers and businessmen etc.

## FEATURES

- Removable ballistic panels
- Easy-care, dry cleanable outer shell
- Custom inner shell mesh fab

## OPTIONS

- Anti-stab resistance
- Custom design

## PROTECTION



**FRONT/BACK PROTECTION**



**HIGH-LEVEL PROTECTION**

## MATERIAL



**LIGHTWEIGHT**



**FLEXIBLE**



**COMFORTABLE**

## NIJ STANDARD



## AVAILABLE COLORS



Black



White

## SIZE



PROTECTION IS  
OUR PROFESSION





# FEMALE VIP VEST -VVF-05



## DESCRIPTION

Designed specifically for female officers, this vest has provided the mobility and exceptional comfort you have always wanted in a concealable vest. Its features include ballistic packages with a form-fitted shape that provide comprehensive ballistic protection and reduced back face signature.

## FEATURES:

- Removable ballistic panels
- Easy-care, dry cleanable outer shell

## OPTIONS:

- Anti-stab resistance
- Custom design

## PROTECTION



**FRONT/BACK**  
PROTECTION



**HIGH-LEVEL**  
PROTECTION

## NIJ STANDARD



## MATERIAL



**LIGHTWEIGHT**



**FLEXIBLE**



**ERGONOMIC**

## AVAILABLE COLORS



Black



White




Brown

## SIZE



# THE COOLEST BODY ARMOUR VIP COOLING SHIRT -06



## DESCRIPTION

A decade of experience and research in the field of cooling athletes and users exposed to extreme thermal stress brought us to a solution in the form of a FIRECAT product "The coolest body armour", which represents the most effective solution in this field. Materials are soft, skin friendly and comfortable for users. Additional ballistic panels on the chest and back of the T-shirt offer protection Level IIIA.

The product is treated against bacteria and prevents the proliferation of odour.

## PROTECTION



**LEVEL III A**



**FRONT/BACK  
PROTECTION**



**HIGH-LEVEL  
PROTECTION**

## OPTIONS:

- Anti-stab resistance
- Custom design
- If you need further fixation in the area of the abdomen, you can also use the belt provided

## MATERIAL



**COOLING  
TECHNOLOGY**



**ANTIBACTERIAL**

## AVAILABLE COLORS



Black



White

## SIZE

[ S ]

[ M ]

[ L ]


[ XL ]



# ARMOR TECHNOLOGY SOLUTIONS



COOLING PADS



EASY ZIP SYSTEM



INSERT THE PROTECTIVE SOFT PANEL IN REVERSE ORDER



T-SHIRT (PROTECTIVE PANELS)

BELT

COOLING PADS AND PROTECTIVE SOFT PANNEL



# SPORTS BALLISTIC

## T-SHIRT - 07



### DESCRIPTION

Utilizing the best in material technology, this is the perfect complement to your protective equipment system. Sports Ballistic T-Shirt 07 offers high heat protection, cut generous in the neck.

### FEATURES

- Shell made of antibacterial polyester
- Removable ballistic panels

### OPTIONS:

- Available according to all international standards
- Specific (custom-made) ballistic protection on request

### AVAILABLE COLORS

Custom colors

### MATERIAL



**HIGH HEAT  
PROTECTION**



**ANTIBACTERIAL**

### PROTECTION



**LEVEL III A**



**FRONT/BACK  
PROTECTION**



**HIGH-LEVEL  
PROTECTION**

### SIZE



[www.infogroupglobal.com](http://www.infogroupglobal.com)



**MAXIMUM  
FUNCTIONALITY**



# VIP BALLISTIC BAGS

## DESCRIPTION

This is a low profile ballistic briefcase, designed in two versions, 3 piece and 4 piece ballistic protection. Within a matter of seconds, this converge product can provide instant protective coverage against fragmentation and bullets. Ideally suited for dignitary protection, private security and other high threat environments, the -BAG-01/BAG-02 Ballistic Briefcase goes beyond traditional ballistic blankets by offering instant adaptability with maximum functionality in one, easy to deploy system. In one move it converts from regular briefcase to fold-out ballistic shield.

### VIP BALLISTIC BAG BAG-01



#### FEATURES:

- Fast unfolding
- Folded size 35 cm x 50 cm (4 PIECE)
- Unfolded size 50 cm x 145 cm

#### PROTECTION




#### MATERIAL



#### COLORS



### VIP BALLISTIC BAG -BAG-02



#### FEATURES:

- Fast unfolding
- Folded size 35 cm x 50 cm (3 PIECE)
- Unfolded size 50 cm x 110 cm

#### PROTECTION



#### MATERIAL



#### COLORS





# HELMETS



## ARAMID CONSTRUCTION

High-level protection

## AVAILABLE DIMENSIONS

Lightweight

## BOA SYSTEM

Maximum flexibility

## AVAILABLE COLORS

Special manufacturing Process

## SUSPENSION SYSTEM

Comfort

**MODEL ACH**    NORMAL CUT | MID CUT | HIGH CUT | SUPER HIGH CUT | FULLY EQUIPPED



## NORMAL CUT

MODEL -ANC-01



## MID CUT

MODEL -AMC-02



## HIGH CUT

MODEL -AHC-03



## SUPER HIGH CUT

MODEL -ASHC-04



## FULLY EQUIPPED

MODEL -AFE-05





# MODEL ACH - NORMAL CUT

## ANC-01



All technical  
details are  
confirmed  
and Approved.

### HELMET MODEL ACH NORMAL CUT » LEVEL IIIA

## DESCRIPTION

**ANC-01** is a modern ballistic helmet for law enforcement personnel. It is made of high quality aramid and designed to ensure maximum flexibility and comfort. Its design and our special manufacturing process provide strong fragments, shrapnel and ammunition protection. The helmet shell is made of 100% Aramid or Kevlar® material, which ensures the helmet is lightweight and durable. The helmet provides protection against handgun ammunition as well as against

fragments from grenades. The ballistic helmet, model ACH, meets all the military standards of the modern anti-ballistic helmet. The helmet is designed to ensure very little trauma and has been tested with fragments and gun ammunition. Their anti-ballistic properties are constantly tested in laboratories in Europe and the United States. Aramid or Kevlar® is flame and heat resistant, it does not melt or drip, does not sustain flame and has low smoke toxicity.

**Normal Cut -ANC-01** helmet has been designed for special units. It is extremely lightweight, with an ultra-low profile of the shell, which ensures the widest viewing angle. In addition, it is fully compatible with a wide range of communication devices, glasses and balaclavas. It is compatible with a wide range of gas masks. Compatible with communications equipment and many other attachments, this is the choice of many military and law enforcement agencies throughout the world.

## ARAMID OR KEVLAR CONSTRUCTION

Aramid is flame and heat resistant it does not melt or drip, does not sustain flame and has low smoke toxicity.

## PAINTED

## SHELL SCREW

Non-corrosive, bullet resistant, made of high-quality material.

## PROTECTIVE RUBBER

Noncarcinogenic material, flame, high and low temperature resistant.

## PADDING SYSTEM

Each option is designed to secure the helmet on the wearer's head. All options allow the movement of the pads for the integration of communication systems with a low-profile headband.

## BUCKLE

Maintains helmet security in all operations. Noncarcinogenic, high-quality plastic.

## CHINSTRAP

Patented design that secures the helmet to the wearer's head at four points of contact and has direct lines from the helmet to the chin cup.



ADJUSTABLE  
DIMENSION



ARAMID  
CONSTRUCTION



SIDE  
RAILS



HELMET  
COVER



NVG  
MOUNT



BOA ATS  
SYSTEM

## DURABILITY

THE HELMET AND ITS PARTS ARE RESISTANT TO ALL WEATHER CONDITIONS



### Temperature conditions

From -55°C to +75°C



### Fire retardant

The helmet shell is self-extinguishing, does not sustain flame



### Weather resistance

The helmet and its parts are resistant to all weather conditions



### Impact /shock absorption

According to EN397



### Dimensional Stability

Compression resistance



THE HELMET IS EQUIPPED  
WITH SIDE RAILS AND  
A FRONT NVG HOLDER



## HELMET COLORS

Please contact Customer Service at [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out lead time on your helmet cut, color and configuration.

## AVAILABLE COLORS



Black



OD Green



Coyote



MultiCam®



Khaki



Upon request

Available in multiple options. Please contact [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out your helmet configuration.

## SIZING AND WEIGHT

### 1. MEASURE


#### HEAD CIRCUMFERENCE

Use a tape measure to determine the maximum head circumference above the ears. Record the measurement.

### 2. SELECT

#### HELMET SIZE

Referring to the table below (in centimeters), select the helmet size based on head circumference.



53-56

[ S ]



56-59

[ M ]



59-62

[ L ]



62-65

[ XL ]

THE HELMET WEIGHT (WITH CHIN STRAP AND PAD SET) IS SHOWN IN THE TABLE		
Helmet size	Helmet weight (gr) +/- 100 gr	Shell thickness
S	< 1250	8mm ± 1mm
M	< 1300	
L	< 1350	
XL	< 1450	

# MODEL ACH - NORMAL CUT -ANC-01

## BALLISTIC PERFORMANCE

NIJ level IIIA - according to NIJ 0106.01  
NIJ level IIIA - 9x19 FMJ, 358±15 m/s ballistic protection  
NIJ level IIIA - .357 Mag. 425±15 m/s

## FRAGMENT PERFORMANCE

According to STANAG 2920



MILITARY STANDARDS FOR BALLISTIC PROTECTION STANAG 2920 (STANAG = NATO STANDARDIZATION AGREEMENT)		
PROJECTILE	Minimum V <sub>50</sub> BL (P) at 0° obliquity	
	ft/sec	m/sec
2-grain RCC1/	4200	1280
4-grain RCC	3475	1059
16-grain RCC	2475	754
64-grain RCC	1750	533
17-grain FSP2/	2200	670

## BOA® FIT SYSTEM

### BOA

**BOA®** Fit System or **BOA®** enables the user to finely adjust the helmet size and is compatible with communication equipment, gas masks and the requirements of many military and law enforcement agencies throughout the world. The Operation Elite helmet is designed to be light-weight and to provide robust protection with additional configurations available. The **BOA®** Fit system allows for precision fit adjustment and immediate release for focus, safety and the best performance.

### HOW IT WORKS



PUSH  
IN TO  
ENGAGE



TURN  
TO  
TIGHTEN



TURN  
TO  
LOOSEN




PULL UP FOR  
QUICK  
RELEASE





# MODEL ACH - MID CUT -AMC-02



All technical  
details are  
confirmed  
and Approved.

HELMET MODEL ACH MID CUT » LEVEL IIIA

## DESCRIPTION

**AMC-02** is a modern ballistic helmet for law enforcement personnel. It is made of high quality aramid and designed to ensure maximum flexibility and comfort. Its design and our special manufacturing process provide strong protection against fragments, shrapnel and ammunition. The helmet shell is made of 100% aramid or Kevlar® material, which ensures the helmet is lightweight and durable. The helmet provides protection against handgun ammunition as well as

against fragments from grenades. **MID CUT -AMC-02** helmet has been designed for special units. It is extremely lightweight, with an ultra-low profile of the shell, which ensures the widest viewing angle. In addition, it is fully compatible with communication devices, glasses and balaclavas. It has been tested with a wide range of gun ammunition. Its properties are constantly tested in laboratories in Europe and the United States. Aramid or Kevlar® is compatible with many other flame and heat resistant attachments, this is the choice of many military and law enforcement agencies throughout the world.

## ARAMID OR KEVLAR CONSTRUCTION

Aramid is flame and heat resistant, it does not melt or drip, does not sustain flame and has low smoke toxicity.

## PAINTED

## SHELL SCREW

Non-corrosive, bullet resistant, made of high-quality material.

## PROTECTIVE RUBBER

Noncarcinogenic material, flame, high and low temperature resistant.

## PADDING SYSTEM


Each option is designed to secure the helmet on the wearer's head. All options allow the movement of the pads for the integration of communication systems with a low-profile headband.

## BUCKLE

Maintains helmet security in all operations. Noncarcinogenic, high-quality plastic.

## CHINSTRAP

Patented design that secures the helmet to the wearer's head at four points of contact and has direct lines from the helmet to the chin cup.



ADJUSTABLE  
DIMENSION



ARAMID  
CONSTRUCTION



SIDE  
RAILS



HELMET  
COVER



NVG  
MOUNT



BOA ATS  
SYSTEM

## DURABILITY

THE HELMET AND ITS PARTS ARE RESISTANT TO ALL WEATHER CONDITIONS



### Temperature conditions

from -55°C  
to +75°C



### Fire retardant

The helmet shell is self-extinguishing, does not sustain flame



### Weather resistance

The helmet and its parts are resistant to all weather conditions



### Impact /shock absorption

According to EN397



### Dimensional stability

Compression resistance






THE HELMET IS EQUIPPED WITH  
PICATINNY SIDE RAILS  
AND A FRONT NVG HOLDER



## HELMET COLORS

Please contact Customer Service at [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out lead time on your helmet cut, color and configuration.


## AVAILABLE COLORS



Available in multiple options. Please contact [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out your helmet configuration.

## SIZING AND WEIGHT

- MEASURE HEAD CIRCUMFERENCE**  
Use a tape measure to determine the maximum head circumference above the ears. Record the measurement.
- SELECT HELMET SIZE**  
Referring to the table below (in centimeters), select the helmet size based on head circumference.



53-56

[ S ]



56-59

[ M ]



59-62

[ L ]



62-65

[ XL ]

THE HELMET WEIGHT (WITH CHIN STRAP AND PAD SET) IS SHOWN IN THE TABLE		
Helmet size	Helmet weight (gr) +/- 100 gr	Shell thickness
S	< 1200	8mm ± 1mm
M	< 1250	
L	< 1300	
XL	< 1400	

# MODEL ACH - MID CUT -AMC-02



## BALLISTIC PERFORMANCE

NIJ level IIIA - according to NIJ 0106.01  
NIJ level IIIA - 9x19 FMJ, 358±15 m/s ballistic protection  
NIJ level IIIA - .357 Mag. 425±15 m/s

## FRAGMENT PERFORMANCE

According to STANAG 2920

MILITARY STANDARDS FOR BALLISTIC PROTECTION STANAG 2920 (STANAG = NATO STANDARDIZATION AGREEMENT)		
PROJECTILE	Minimum V <sub>50</sub> BL (P) at 0° obliquity	
	ft/sec	m/sec
2-grain RCC1/	4200	1280
4-grain RCC	3475	1059
16-grain RCC	2475	754
64-grain RCC	1750	533
17-grain FSP2/	2200	670

## BOA® FIT SYSTEM

### BOA

**BOA®** Fit System or **BOA®** enables the user to finely adjust the helmet size and is compatible with communication equipment, gas masks and the requirements of many military and law enforcement agencies throughout the world. The Operation Elite helmet is designed to be light- weight and to provide robust protec- tion with additional configurations available. The **BOA®** Fit system al- lows for precision fit adjustment and immediate release for focus, safety and the best performance.

### HOW IT WORKS



PUSH  
IN TO  
ENGAGE



TURN  
TO  
TIGHTEN



TURN  
TO  
LOOSEN



PULL UP FOR  
QUICK  
RELEASE





# MODEL ACH - HIGH CUT

## -AHC-03



All technical details are confirmed and Approved.

HELMET MODEL ACH HIGH CUT » LEVEL IIIA

## DESCRIPTION

**ANC-03** is a modern ballistic helmet for law enforcement personnel. It is made of high quality aramid and designed to ensure maximum flexibility and comfort. Its design and our special manufacturing process provide strong fragments, shrapnel and ammunition protection. The helmet shell is made of 100% aramid or Kevlar® material, which ensures the helmet is lightweight and durable. The helmet provides protection against handgun ammunition as well as

against fragments from grenades. The ballistic helmet, model ACH, meets all the military standards of the modern anti-ballistic helmet. The helmet is designed to ensure very little trauma and has been tested with fragments and gun ammunition. Its anti-ballistic properties are constantly tested in laboratories in Europe and the United States. Aramid or Kevlar® is flame and heat resistant, it does not melt or drip, does not sustain flame and has low smoke toxicity.

**AHC-03** helmet has been designed for special units. It is extremely lightweight, with an ultra-low profile of the shell, which ensures the widest viewing angle. In addition, it is fully compatible with a wide range of communication devices, glasses and balaclavas. It is compatible with a wide range of gas masks. Compatible with communications equipment and many other attachments, this is the choice of many military and law enforcement agencies throughout the world.

## EXTERIOR VELCRO KIT

Permits attachment of head-borne accessories.  
Different kit sizes that match helmet size.

## ARAMID OR KEVLAR CONSTRUCTION

Aramid or Kevlar® is flame and heat resistant it does not melt or drip, does not sustain flame and has low smoke toxicity.

## NVG

NVG Shroud compatible with most NVG mounting brackets. Holds lights, cameras and other accessories.

## PAINTED SHELL

## SCREW

Non-corrosive, bullet resistant, made of high-quality material.

## PADDING SYSTEM

Each option is designed to secure the helmet on the wearer's head. All options allow the movement of the pads for the integration of communication systems with a low-profile headband.

## BUCKLE

Maintains helmet security in all operations. Noncarcinogenic, high-quality plastic.

## CHINSTRAP

## RAILS

## PROTECTIVE RUBBER

Patented design that secures the Side Rails (2 places) hold various helmet to the wearer's head at four items such as visors, mandibles, points of contact and has direct lines lights and cameras. Attached to from the helmet to the chin cup.helmet with retention hardware.

Noncarcinogenic material, flame, high and low temperature resistant.



ADJUSTABLE  
DIMENSION



ARAMID  
CONSTRUCTION



SIDE  
RAILS



HELMET  
COVER



NVG  
MOUNT



BOA ATS  
SYSTEM

## DURABILITY

THE HELMET AND ITS PARTS ARE RESISTANT TO ALL WEATHER CONDITIONS



### Temperature conditions

from -55°C  
to +75°C



### Fire retardant

The helmet shell is self-extinguishing, does not sustain flame



### Weather resistance

The helmet and its parts are resistant to all weather conditions



### Impact /shock absorption

According to EN397



### Dimensional stability

Compression resistance





THE HELMET IS EQUIPPED  
WITH SIDE RAILS AND  
A FRONT NVG HOLDER



## HELMET COLORS

Please contact Customer Service at [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out lead time on your helmet cut, color and configuration.

## AVAILABLE COLORS



Black



OD Green



Coyote



MultiCam®



Khaki




Upon request

Available in multiple options. Please contact [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out your helmet configuration.

## SIZING AND WEIGHT

**1. MEASURE HEAD CIRCUMFERENCE**  
Use a tape measure to determine the maximum head circumference above the ears. Record the measurement.

**2. SELECT HELMET SIZE**  
Referring to the table below (in centimeters), select the helmet size based on head circumference.



53-56

[ S ]



56-59

[ M ]



59-62

[ L ]



62-65

[ XL ]

THE HELMET WEIGHT (WITH CHIN STRAP AND PAD SET, RAILS, NVG AND VELCRO) IS SHOWN IN THE TABLE

Helmet size	Helmet weight (gr) +/- 100 gr	Shell thickness
S	< 1250	8mm ± 1mm
M	< 1300	
L	< 1350	
XL	< 1400	

# MODEL ACH HIGH CUT -AHC-03

## BALLISTIC PERFORMANCE

NIJ level IIIA - according to NIJ 0106.01  
NIJ level IIIA - 9x19 FMJ, 358±15 m/s ballistic protection  
NIJ level IIIA - .357 Mag. 425±15 m/s

## FRAGMENT PERFORMANCE

According to STANAG 2920



MILITARY STANDARDS FOR BALLISTIC PROTECTION STANAG 2920 (STANAG = NATO STANDARDIZATION AGREEMENT)		
PROJECTILE	Minimum V <sub>50</sub> BL (P) at 0° obliquity	
	ft/sec	m/sec
2-grain RCC1/	4200	1280
4-grain RCC	3475	1059
16-grain RCC	2475	754
64-grain RCC	1750	533
17-grain FSP2/	2200	670

## BOA® FIT SYSTEM

### BOA

### HOW IT WORKS

**BOA®** Fit System or **BOA®** enables the user to finely adjust the helmet size and is compatible with communication equipment, gas masks and the requirements of many military and law enforcement agencies throughout the world. The Operation Elite helmet is designed to be light- weight and to provide robust protec- tion with additional configurations available. The **BOA®** Fit system al- lows for precision fit adjustment and immediate release for focus, safety and the best performance.



PUSH  
IN TO  
ENGAGE



TURN  
TO  
TIGHTEN



TURN  
TO  
LOOSEN



PULL UP FOR  
QUICK  
RELEASE



# MODEL ACH - SUPER HIGH CUT -ASHC-04



All technical  
details are  
confirmed  
and Approved.

## HELMET MODEL ACH SUPER HIGH CUT » LEVEL IIIA

### DESCRIPTION

**ASHC-04** is a tactical ballistic helmet made for high performance in the toughest combat environments. With a super high cut shell made of a lightweight aramid, the helmet delivers stability, integration, and user comfort. It integrates other Helmet accessories, including communication headsets, NVG, rails and more, for a complete protective lightweight system that prioritizes protection, is easy to use and provides user comfort.





## ARAMID OR KEVLAR CONSTRUCTION

Aramid or Kevlar® is flame and heat resistant it does not melt or drip, does not sustain flame and has low smoke toxicity.

## SHELL GEOMETRY

The Super High Cut ballistic helmet shell geometry extends critical coverage over the rear occipital bone without load carrier interference, and optimizes weight distribution for increased stability, integration, balance, and improved comfort.

## PAD SET

Pad Set is sipped with comfort pads installed. You can use a combination of pads thicknesses to achieve the best comfort and fit.

- Made of antibacterial material
- Filled with memory foam
- Comfortable on the head
- No sweat

## CHINSTRAP

Patented design that secures the helmet to the wearer's head at four points of contact and has direct lines from the helmet to the chin cup.

## BUCKLE

The Super High Cut ballistic helmet comes standard with right eye dominant retention (buckle on left).



ADJUSTABLE  
DIMENSION



ARAMID  
CONSTRUCTION



SIDE  
RAILS



HELMET  
COVER



NVG  
MOUNT



BOA ATS  
SYSTEM

## DURABILITY

THE HELMET AND ITS PARTS ARE RESISTANT TO ALL WEATHER CONDITIONS



### Temperature conditions

from -55°C  
to +75°C



### Fire retardant

The helmet  
shell is self -  
extinguishing,  
does not  
sustain  
flame



### Weather resistance

The helmet  
and its parts  
are resistant  
to all weather  
conditions



### Impact /shock absorption

According  
to EN397



### Dimensional stability

Compression  
resistance

THE HELMET IS EQUIPPED WITH  
PICATINNY SIDE RAILS  
AND A FRONT NVG HOLDER



## HELMET COLORS

Please contact Customer Service at [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out lead time on your helmet cut, color and configuration.

## AVAILABLE COLORS



Black



OD Green



Coyote



MultiCam®



Khaki




Upon request

Available in multiple options. Please contact [info@infogroupglobal.com](mailto:info@infogroupglobal.com) to find out your helmet configuration.

## SIZING AND WEIGHT

**1. MEASURE HEAD CIRCUMFERENCE**  
Use a tape measure to determine the maximum head circumference above the ears. Record the measurement.

**2. SELECT HELMET SIZE**  
Referring to the table below (in centimeters), select the helmet size based on head circumference.



53-56

[ S ]



56-59

[ M ]



59-62

[ L ]



62-65

[ XL ]

THE HELMET WEIGHT (WITH CHIN STRAP AND PAD SET, RAILS, NVG AND VELCRO) IS SHOWN IN THE TABLE

Helmet size	Helmet weight (gr) +/- 100 gr	Shell thickness
S	< 1250	8mm ± 1mm
M	< 1300	
L	< 1350	
XL	< 1400	

# MODEL ACH SUPER HIGH CUT -ASHC-04

## BALLISTIC PERFORMANCE

NIJ level IIIA - according to NIJ 0106.01  
NIJ level IIIA - 9x19 FMJ, 358±15 m/s ballistic  
protection NIJ level IIIA - .357 Mag. 425±15 m/s

## FRAGMENT PERFORMANCE

According to STANAG 2920



MILITARY STANDARDS FOR BALLISTIC PROTECTION STANAG 2920 (STANAG = NATO STANDARDIZATION AGREEMENT)		
PROJECTILE	Minimum V <sub>50</sub> BL (P) at 0° obliquity	
	ft/sec	m/sec
2-grain RCC1/	4200	1280
4-grain RCC	3475	1059
16-grain RCC	2475	754
64-grain RCC	1750	533
17-grain FSP2/	2200	670

## BOA® FIT SYSTEM

### BOA

**BOA®** Fit System or **BOA®** enables the user to finely adjust the helmet size and is compatible with communication equipment, gas masks and the requirements of many military and law enforcement agencies throughout the world. The Operation Elite helmet is designed to be lightweight and to provide robust protection with additional configurations available. The **BOA®** Fit system allows for precision fit adjustment and immediate release for focus, safety and the best performance.

### HOW IT WORKS



PUSH  
IN TO  
ENGAGE



TURN  
TO  
TIGHTEN



TURN  
TO  
LOOSEN



PULL UP FOR  
QUICK  
RELEASE





# MODEL ACH - FULLY EQUIPPED

## -AFE-05



PICATINNY SIDE RAILS AND  
A FRONT NVG HOLDER

THE HELMET IS EQUIPPED WITH



All technical  
details are  
confirmed  
and Approved.

HELMET FULLY EQUIPPED -AFE-05 » LEVEL IIIA

## DESCRIPTION

### FULLY EQUIPPED AFE-05

Compatible with communication equipment, gas mask and the requirements of many military and law enforcement agencies throughout the world. The Full equipped helmet is designed to be lightweight and to provide protection with additional configurations available.

Find out more on [www.infogroupglobal.com](http://www.infogroupglobal.com)

## DURABILITY

THE HELMET AND ITS PARTS ARE RESISTANT TO ALL WEATHER CONDITIONS



### Temperature conditions

from -55°C  
to +75°C



### Fire retardant

The helmet  
shell is self -  
extinguishing,  
does not sustain  
flame



### Weather resistance

The helmet  
and its parts  
are resistant  
to all weather  
conditions



### Impact /shock absorption

According  
to EN397



### Dimensional stability

Compression  
resistance

## EXTERIOR VELCRO® KIT

Permits attachment of head-borne accessories.  
Different kit sizes that match helmet size.

## BALLISTIC VISOR

Transparent PMMA and POLYCARBONATE with an interlayer intended for ballistic protection which is permanently tested according to NIJ 0108.01 Level IIIA

(see more details on page 37)

## RAILS AND NVG

- Plastic part that is strong and light weight
- Transform ACH style helmets into a streamlined platform capable of integrating mission enhancing components and accessories such as visors, mandibles, lights and cameras.
- One size fits all

(see more details on pages 30 and 31)

## FACE MASK

Provides additional face protection from blunt trauma.

Used to provide lower face protection from IED fragments, rough terrain landings (airborne), and debris encountered during off-road vehicle missions.

(see more details on page 37)

## HELMET COVER

This helmet cover includes drawstrings, hook, and loop tabs that allow it to stay securely in place on the helmet. (see more details on page 33)

## MOHOC CAMERA

The MOHOC® is a tactically designed camera that revolutionizes form-factor, durability and user interface.

(see more details on page 35)

## MONOCULAR


monocular can spot the heat of suspects and objects in total darkness or even during daylight hours.

(see more details on page 35)

## BOA® HARNESS

BOA® Fit System or BOA® enables the user to finely adjust the helmet size and is compatible with communication equipment, gas masks and the requirements of many military and law enforcement agencies throughout the world. The BOA® Fit system allows for precision fit adjustment and immediate release for focus, safety and the best performance.

(see more details on page 31)





# ACCESSORIES.







# PROTECTION SYSTEM

## COMPLETE INTEGRATION

Our products deliver maximum flexibility and forward compatibility and are designed to integrate seamlessly with both our partners and third party components.



**THE HELMET IS EQUIPPED WITH  
PICATINNY SIDE RAILS AND  
A FRONT NVG HOLDER**


## RAIL PICCATINNY

- Plastic part that is strong and lightweight
- Transforms ACH style helmets into a streamlined platform capable of integrating mission enhancing components and accessories such as visors, mandibles, lights and cameras
- One size fits all
- Easily mounts to the sides of the helmet
- Mounts using existing chinstrap holes in the helmet
- Durable, lightweight construction
- Universal adapter to mount a variety of headborne accessories to the helmet
- Accessories slide into the Picatinny
- Picatinny quickly attaches or releases from the rail system



## NVG

NVG is an aluminium part that is strong and lightweight. Its high tolerance CNC machining insures a perfect fit with all standard bracket-style NVG mounts. It is a three hole design that fits any FAST, ACH etc. With a standard three-hole drill pattern. It features multiple bungee and lanyard mounting points for compatibility with visors.



## WILCOX L4 G41 NVG MOUNT

The Wilcox L4 G41 Low Profile Breakway Mount allows firm attachment of a variety of NVGs to MICH/ACH and ECH helmets using a one or three-hole Hybrid Shroud.

### PRODUCT HIGHLIGHTS

- Dimensions 3.98" L 2.60 W 2.40" H
- Weight (G24 Mount Only) 36lb (5.76 oz) Weight (Hybrid Shroud Only) 10lb (1.6 oz)
- Material Construction lightweight, Aerospace Grade Metal
- Accommodates NVG AN/PVS-7B and 14
- Vertical Height Adjustment 900" Total Fore/Aft
- Travel 1.10" Total Travel



## CHINSTRAP RETENTION SYSTEM

Chinstrap is made of soft of durable 15mm PA fiber polyamide material with real strap, buckle, adjustment leather and adjustable lock buckle and neck straps with a quick release pad. The plastic parts system. are made of standard The buckles are made of material, witch is high-high quality material and performance PA, and all are not carcinogenic.details like color, material Our 4 point (fastened on and other customer four points with screws) specification can be chinstrap Grip consists changed.

The chinstraps are easily removable, tested for heat, humidity and chemical resistance. They give dimensional stability, strength and resistance to all weather conditions. The weight of Grip chinstrap is 50 g.

## H-NAPE HEAD-LOC

## TRI-GLIDE ADJUSTMENT TABS

Installed in four places to maximize adjustability.

## HEAD-LOC BUCKLE

Maintains helmet security in all operations.

## BOA

**BOA®** Fit System or **BOA®** enables the user to finely adjust the helmet size and is compatible with communication equipment, gas masks and the requirements of many military and law enforcement agencies throughout the world. The Operation Elite helmet is designed to be lightweight and to provide robust protection with additional configurations available. The **BOA®** Fit system allows for precision fit adjustment and immediate release for focus, safety and the best performance.

## HOW IT WORKS



PUSH  
INTO  
ENGAGE



TURN  
TO  
TIGHTEN



TURN  
TO  
LOOSEN



PULL UP FOR  
QUICK  
RELEASE





# PREMIUM MATERIALS.

## LINER SET

Liner kit is equipped with comfort pads installed. You can use a combination of pads thicknesses to achieve the best comfort and fit.

- Made of antibacterial material
- Filled with memory foam
- Comfortable on the head
- No sweat



## PAD SET

Pad Set is equipped with comfort pads installed. You can use a combination of pads thicknesses to achieve the best comfort and fit.

- Made of antibacterial material
- Filled with memory foam
- Comfortable on the head
- No sweat



COMFORT DURING  
EXTENDED USE

## SKYDEX

Developed to meet the requirements of the U.S. Army, SKYDEX Helmet Pads are compatible with most ballistic helmets. With superior impact absorption across a broad range of temperatures, the SKYDEX Helmet Pads are washable and quick drying, and feature RF-welded, rip resistant seams for enhanced durability.



## TEAM WENDY

Team Wendy's EPIC® (Enhanced Protection, Individual Comfort) Combat Helmet Liner System consists of a one-piece protective impact liner that ranges from 1cm thickness (the back is thicker than the front) and 22 adjustable comfort pads provided in four shapes (oblong, trapezoid, tapered trapezoid, and triangle) and two thicknesses. The comfort pad set also includes four Ultra Grip™ pads for added stability and two sweatbands for moisture absorption. EPIC® fits all standard ground combat helmets.



## HELMET BAG

Helmet bag composed of durable, water resistant 500D fabric with drawstring opening and a personalized tag. Covered with a MOLLE system for adjusting all necessary additional equipment.



## HELMET COVER

This helmet cover includes drawstrings, hook and loop tabs that allow it to stay securely in place on the helmet. The system accommodates small, medium, large and extra-large helmets. Available in different colors.



MESSAGE RECEIVED,  
LOUD AND CLEAR.



## HEADSET ATLANTIC SIGNAL - PELTOR 3

The Compact V is a next generation tactical circumaural headset featuring a new noise canceling ambidextrous boom microphone, new environmental microphones for enhanced SA, a removable inter-changeable and over-the-heat stainless steel frame. An ARC rail helmet mount kit is a standard as well as gel ear cup seals along with new shielded-

circuitry and wiring to help prevent cross-talk and RF/EMI Interference.

An all new headset down-lead cable connector design allows for seamless use with both single and dual comm push-to-talks. One of the most exciting new features is the all new Advanced-Voice Guided Equalizer to help customize the listening experience.



## LIBERATOR V - HEADSET

The ultimate circumaural headphones, the Liberator® V is an exceptional convergence of communications and hearing protection with key technological advancements over previous models. 100% US designed and manufactured, it has our unique Dual Fuel feature meaning it can run on either two AAA or one CR123 battery, and it is the only headset design with user audio profiles

modifiable with simple keystrokes on the headset.

The Liberator® V is a secure dual communications channel headset system utilizing the newly designed multi-mode Earcup. This system gives military and law enforcement end users the confidence to utilize communications networks using mixed encryption in any tactical environment.





## MILITARY-OPTIMIZED HELMET CAMERAS



### MOHOC CAMERA

The MOHOC® is a tactically designed camera that revolutionizes form-factor, durability and user interface. Thanks to their proprietary helmet contour, the MOHOC® and MOHOC® IR are the world's lowest profile helmet cameras. Other helmet cameras snag on cables or run into doorways. Not MOHOC®, MOHOC® delivers a snag free, aerodynamic solution allowing you to operate without getting hung up. Our IP68 camera is both dustproof and waterproof to 33 feet without a separate case. The military grade system also features superior durability. The aluminum and overmolded rubber housing is rigorously tested to 2 meter drops

without skipping a video frame! MOHOC® is built for those whose gear must be able to withstand the harshest environments.

- Photos: 12 MP
- Field of view : 140 degrees
- Lens aperture: F/2.8
- Battery life: continuous record time of 2 hours 45 min. for 1100 mAh rechargeable and 5+ for CR123A
- Weight: 202 grams with Li-Ion rechargeable battery
- Dimensions: 52mm 42mm 88mm (Wx H xD)
- Video settings: 1080p/60FPS, 1080p/30FPS, 720p/120FPS, 720p/60FPS, 720p/30FPS and time lapse (60, 30, 5 or 3 sec)



### MONOCULAR

Designed specifically with law enforcement in mind, the Monocular can spot the heat of suspects and objects in total darkness or even during daylight hours. The options are endless with this Monocular, thanks to the seven varying palette options that let you choose how to survey. In addition, it can be concealed in a pocket or mounted to a helmet with its mini rail features while adding only a minimal amount of weight to your gear.



## MULTI-USE HIGH-PERFORMANCE

### SUREFIRE HELMET LIGHT

This compact, multiple-out-put Helmet Light features three yellow-green LEDs, two infrared LEDs, and one blinking infrared LED that serves as a personal Identify Friend or Foe (IFF) beacon. The yellow-green primary LEDs are perfect for general-purpose, close-work illumination; the infrared secondary LEDs are for use with

night vision devices (NVDs) and provide an invisible light signature when viewed by the naked eye. Helmet Light features a durable, watertight polymer body in Desert Tan. It attaches to any Modular Integrated Communications Helmet (MICH) via an included ambidextrous mount with 20 preset positions allowing the

light to be rotated by 360 degrees when attached. Once either mount has been attached to the helmet, Helmet Light can be slid on quickly and easily and locked securely in place.



#### AVAILABLE COLORS



Black



Tan

#### LED COLORS



WHITE  
/BLUE



WHITE  
/IR



WHITE  
/RED



YELLOW  
GREEN/IR

### SUREFIRE ADAPTER

The ADPT-HL1-OC adapter is a rotating mount that is designed for all helmets which use the rail system.

- Easily removes the helmet light
- Lightweight, durable polymer construction;
- All-weather use
- Helmet light



### SUREFIRE TORCH

SureFire's G2X™ LED illumination tools share many features, such as virtually indestructible high-efficiency LED emitters, 600 lumens of maximum output, precision reflectors, and sleek Nitrolon® polymer bodies. The G2X Pro is a dual-output version that features the same lightweight, ergonomically shaped body. It boasts identical 600 lumens of high-output, but it also features a useful low-output of 15 lumens that lets you extend the runtime per set of batteries.



#### AVAILABLE COLORS



Black



Tan



Green



Yellow

## HIGH-IMPACT PROTECTION



### PROTECTIVE FACE MASK » LEVEL IIIA

- Provides additional face protection from blunt trauma
- Used to provide lower face protection from IED fragments, rough terrain landings (airborne), and debris encountered during off-road vehicle missions
- Its flexible frame allows a close stock weld and results in minimum interference when sighting shoulder-fired weapons
- Folds conveniently to fit into rucksack or other storage
- Quick and toolless attachment to the Side Rails
- One size fits all



### BALLISTIC VISOR

- Material: transparent PMMA and POLYCARBONATE with interlayer
- Optimal material thickness for extreme low weight (one of the world's lightest) and excellent ballistic protection which is permanently tested (NIJ 0108.01 LEVEL IIIA)
- Extra clear visibility - no air-space between layers secures high light transmission
- High performance laminated
- Very low distortion
- Easy and competitive visor design adjustment
- Large production capacity







**INFO**  
GROUP GLOBAL

## NIJ STANDARDS 0101.04

Armor Type	Test- Bullet	Bullet- Producer	Bullet- Weight [g] [gr.]	Bullet- Velocity [m/s] [ft/s]	Distance [m]	Max. BFD [mm]	Angle Test [° Nato]	Wet test yes/no	Padding down yes/no	No. of shots per panel	No. of tests
I	.22 caliber LR LRN	not spec.	2.6 40	329 ± 9 1080 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
	.380 ACP FMJ RN	not spec.	6.2 95	322 ± 9 1055 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
II-A	9 mm FMJ RN	not spec.	8.0 124	341 ± 9 1120 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
	.40 S&W FMJ RN	not spec.	10.2 158	322 ± 9 1055 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
II	9 mm FMJ RN	not spec.	8.0 124	367 ± 9 1205 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
	.357 Mag. JSP	not spec.	10.2 158	436 ± 9 1430 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
III	9 mm FMJ RN	not spec.	8.0 124	436 ± 9 1430 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
	.44 Mag. JHP	not spec.	15.6 240	436 ± 9 1430 ± 30	5	44	0° 4x 30° 2x	yes only	Yes	6	4
III	7.62 mm Nato FMJ	not spec.	9.6 148	847 ± 9 2780 ± 30	15	44	0°	yes only		6	2
IV	.30 caliber M2 AP	not spec.	10.8 166	878 ± 9 2880 ± 30	15	44	0°	yes only		1	2

## NIJ STANDARDS 0101.06

Armor Type	Test- Bullet	Bullet- Producer	Bullet- Weight [g] [gr.]	Bullet- Velocity [m/s] [ft/s]		Distance [m]	Max. BFD [mm]	Angle Test [° Nato]	Padding down yes/no	No. of shots per panel	No. of tests and conditioning	
				New	Conditioned						New	Conditioned
II-A	9 mm FMJ RN	Remington	8.0 124	373 ± 9 1225 ± 30	355 ± 9 1165 ± 30	5	44	0° 4x 30/45° each 1x	yes	6	8 wet	4 dry
	.40 S&W FMJ	Remington	11.7 180	352 ± 9 1155 ± 30	325 ± 9 1065 ± 30	5	44	0° 4x 30/45° each 1x	yes	6	8 wet	4 dry
II	9 mm FMJ RN	Remington	8.0 124	398 ± 9 1305 ± 30	379 ± 9 1245 ± 30	5	44	0° 4x 30/45° each 1x	yes	6	8 wet	4 dry
	.357 Mag. JSP	Remington	10.2 158	436 ± 9 1430 ± 30	408 ± 9 1340 ± 30	5	44	0° 4x 30/45° each 1x	yes	6	8 wet	4 dry
III-A	.357 SIG FMJ FN	Speer	8.1 125	448 ± 9 1470 ± 30	430 ± 9 1410 ± 30	5	44	0° 4x 30/45° each 1x	yes	6	8 wet	4 dry
	.44 Mag. JHP	Speer	15.6 240	436 ± 9 1430 ± 30	408 ± 9 1340 ± 30	5	44	0° 4x 30/45° each 1x	yes	6	8 wet	4 dry
III	7.62 mm Nato FMJ	not spec.	9.6 148	-	847 ± 9 2780 ± 30	5	44	0°	-	6	-	4 wet (24 shots)
IV	.30 caliber M2 AP	not spec.	10.8 166	-	878 ± 9 2880 ± 30	15	44	0°	-	1-6	-	4-24 swet (24 shots)



---

Excelsiorlaan 1, 1930  
Zaventem / BELGIUM  
Phone: +32 472 32 00 51  
E-mail: [info@infogroupglobal.com](mailto:info@infogroupglobal.com)

[www.infogroupglobal.com](http://www.infogroupglobal.com)